Version number 1 Date: 25.10.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· .1 Product identifier

· 1.1 Product Identifier

Name: FIXER Code: CX-55

· 1.2 Relevant Uses or Application: Garment Textile Screen Printing Auxiliary

· 1.3 Details of Supplier: · CALIX INDUSTRY TRADE Co., Ltd.

Room- 803, Chevalier House, 45-51 Chatham Road South Tsim Sha Tsui, Kowloon, Hong Kong.

· Web: www.calixhk.com . E-mail: calix.co.limited@gmail.co

· Phone: 00 852 2668186

## SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of Regulation (EC) No.1272/2008.

Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No. 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

· Signal word Danger

U

Version number 1 Date: 25.10.2021

Trade name: FIXER-CX-55

#### · Hazard-determining components of labelling:

sodium dodecyl sulphate

Dodecan-1-ol, ethoxylated

#### · Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

#### · Precautionary statements

*P280* Wear protective gloves/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

#### · 2.3 Other hazards:

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

## · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

· Composition:		
CAS: 9002-92-0	Active polymer	100%

#### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

- · General description: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for sever minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

## · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

Version number 1 Date: 25.10.2021

Trade name: FIXER-CX-55

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

#### · 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling: For the general occupational hygienic measures refer to Section 8.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s): No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · **DNELs:** Not available
- · PNECs: Not available
- $\cdot$  Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.

#### · Appropriate engineering controls:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Version number 1 Date: 25.10.2021

Trade name: FIXER-CX-55

See Section 7 for information about design of technical facilities.

- · Personal protective equipment
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Appearance

Form: Paste

Colour: Light yellow transparent

· Odour: Slight
· Odour threshold: Not available
· pH-value: 7.0-7.5

· Change in condition

Melting point/Freezing point: -5 °C Initial boiling point and boiling range: 100 °C

Flash point: Not available
Flammability (solid, gas): Not available
Auto-ignition temperature: Not available
Decomposition temperature: Not available

· Self-igniting: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits

Lower: Not available Upper: Not available

Version number 1 Date: 25.10.2021

Trade name: FIXER-CX-55

Oxidising properties: Not available
Vapour pressure: Not available
Density: Not available
Relative density: Not available
Vapour density: Not available
Evaporation rate: Not available

 $\cdot \textit{ Solubility in / Miscibility with }$ 

water: Not available

• Partition coefficient: n- Not available

octanol/water:

· Viscosity

Dynamic:Not availableKinematic:Not available

• 9.2 Other information No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.2 Chemical stability: Data not available
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

## 151-21-3 sodium dodecyl sulphate

Oral LD 50 1,288 mg/kg (rat)

· Skincorrosion/irritation:

Causes skin irritation.

· Serious eye damage/irritation:

Causes serious eve damage.

- Respiratory or skin sensitization: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- $\cdot \textbf{\textit{Aquatic toxicity:}} \ \textit{No further relevant information available}.$
- · 12.2 Persistence and degradability: No further relevant information available.

Version number 1 Date: 25.10.2021

Trade name: FIXER-CX-55

- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground.

## SECTION 13: Disposal considerations

· Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

· 14.1 UN-Number

· ADR/RID/ADN, IMDG, IATA Not applicable

· 14.2 UN proper shipping name

· ADR/RID/ADN, IMDG, IATA Not applicable

· 14.3 Transport hazard class(es)

· ADR/RID/ADN, IMDG, IATA

· Class Not applicable

· Label

· 14.4 Packing group

· ADR/RID/ADN, IMDG, IATA Not applicable

· 14.5 Environmental hazards

· Marine pollutant: No

• 14.6 Special precautions for user: Not applicable.

· Danger code (Kemler):

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· UN ''Model Regulation'': Void

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK(German Maximum Workplace Concentration)

None of the ingredients is listed.

Version number 1 Date: 25.10.2021

Trade name: FIXER-CX-55

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category Not applicable
- Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable
- Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable
- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (27/6/2018)

None of the ingredients is listed

REACH Regulation Annex XVII Restriction (18/4/2018) See Section 16 for information about restriction of use.

· REACH Regulation Annex XIV Authorisation List (13/6/2017)

None of the ingredients is listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

#### · Relevant hazard statements

H228 Flammable solid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No. 1272/2008		
Skin corrosion/irritation	The classification of the mixture is generally based	
Serious eye damage/eye irritation	on the calculation method using substance data according to Regulation (EC) No. 1272/2008.	

## DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyondour knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability forloss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

Date: 25.10.2021 Version number 1

Trade name: FIXER-CX-55

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Sol. 2: Flammable solids – Category 2 Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic

Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Department issuing data specification sheet: Product Safety Dept.

Contact: CALIX INDUSTRY TRADE Co., Ltd

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

End of document